

**In the Claims**

Applicant presents a full set of claims showing markups of the claims with insertions and deletions indicated by underlining and strikethrough text (or double bracketing), respectively.

1. (Currently amended) A method of obtaining substantially pure cannabidiol (CBD) from plant material, which has a purity of greater than 95% as determined by area normalisation of an HPLC profile, which method comprises the following steps:

(a) obtaining a cannabidiol-containing primary extract of the plant material by maceration, percolation or solvent extraction and optionally conducting a further secondary extraction step to obtain a secondary extract,

(b) dissolving the primary or secondary extract obtained in (a) in a non-polar solvent which is a C5-C12 straight chain or branched alkane or a carbonate ester of a C1-C12 alcohol to form a solution~~[[,]]~~; and

(c) removing insoluble material from this solution by filtration and evaporating the solvent from the solution to obtain substantially pure cannabidiol, ~~wherein the solvent is a C5-C12 straight chain or branched alkane or a carbonate ester of a C1-C12 alcohol.~~

2. (Original) A method according to claim 1 wherein the substantially pure preparation of cannabidiol (CBD) has a chromatographic purity of 98% or greater, preferably 99% or greater, and most preferably 99.5% or greater by area normalisation of an HPLC profile.

3. (Original) A method according to claim 2 wherein the substantially pure preparation of cannabidiol has a melting point in the range of from 64 to 66°C.

4. (Previously presented) A method according to claim 2 wherein the substantially pure preparation of cannabidiol comprises less than 1%, preferably less than 0.8%, more preferably less than 0.6%, more preferably less than 0.4%, more preferably less than 0.2% and most preferably less than 0.1%  $\Delta^9$  THC.

5. (Canceled)
6. (Original) A method according to claim 1 wherein the solvent is pentane, hexane or propyl carbonate.
7. (Original) A method according to claim 6 wherein the solvent is pentane.
8. (Currently amended) A method according to claim 1 wherein the cannabidiol-containing primary extract of the plant material is a botanical drug substance (BDS) derived from the plant material.
9. (Canceled)
10. (Currently amended) A method according to claim [[9]] 8 wherein the botanical drug substance is prepared by solvent extraction with carbon dioxide, ethanol, methanol or hexane.
11. (Currently amended) A method according to claim 10 wherein the botanical drug substance is prepared by a process comprising solvent extraction with carbon dioxide (CO<sub>2</sub>), followed by a secondary extraction step to remove a proportion of the non-target materials.
12. (Original) A method according to claim 11 wherein the secondary extraction step is ethanolic precipitation.
13. (Original) A method according to claim 11 which further includes a charcoal clean-up step.
14. (Currently amended) A method according to claim 13 wherein the botanical drug substance is prepared by a process comprising:
  - i) decarboxylation of the plant material,
  - ii) solvent extraction with liquid CO<sub>2</sub>, to produce a crude botanical drug substance,

- iii) precipitation with C1-C5 alcohol to reduce the proportion of non-target materials,
  - iv) removal of the precipitate,
  - v) treatment of the resulting solution with activated charcoal, and
  - vi) removal of C1-C5 alcohol and water, thereby producing a final botanical drug substance.
15. (Currently amended) A method of obtaining substantially pure cannabidiol (CBD) from plant material comprising:
- i) decarboxylation of the plant material,
  - ii) solvent extraction with liquid CO<sub>2</sub>, to produce a crude botanical drug substance,
  - iii) precipitation with ethanol to reduce the proportion of non-target materials,
  - iv) filtration to remove the precipitate,
  - v) treatment of the resulting solution with activated charcoal,
  - vi) removal of ethanol and water from the solution to produce a CBD-enriched extract,
  - vii) re-dissolving the CBD-enriched extract in a C5-C12 straight chain or branched alkane or a carbonate ester of a C1-C12 alcohol, and
  - viii) removal of solvent from the solution of step vii) to obtain substantially pure CBD.
16. (Currently amended) A method according to claim 15 wherein the solvent of step vii) is pentane.
17. (Previously presented) A method according to claim 1 wherein the substantially pure cannabidiol is obtained in crystalline form.
18. (Currently amended) A method as claimed in claim 1, wherein the substantially pure preparation of cannabidiol (CBD) ~~prepared from plant material using the method of claim 1, having~~ has a chromatographic purity of 98% or greater, preferably 99% or greater, and most preferably 99.5% or greater by area normalisation of an HPLC profile.

19. (Currently amended) A method as claimed in claim 18, wherein the substantially pure preparation of cannabidiol ~~according to claim 18 which~~ is a white crystalline solid at room temperature.
20. (Currently amended) A method as claimed in claim 19, wherein the substantially pure preparation of cannabidiol ~~according to claim 19 which~~ has a melting point in the range of from 64 to 66°C.
21. (Currently amended) A method as claimed in claim 18, wherein the substantially pure preparation of cannabidiol ~~according to claim 18 which~~ comprises less than 1%, preferably less than 0.8%, more preferably less than 0.6%, more preferably less than 0.4%, more preferably less than 0.2% and most preferably less than 0.1%  $\Delta^9$  tetrahydrocannabinol (THC).
22. (Currently amended) A method as claimed in claim 18, wherein the substantially pure preparation of cannabidiol ~~according to claim 18 which~~ comprises less than 1%, preferably less than 0.8%, more preferably less than 0.6%, more preferably less than 0.4%, more preferably less than 0.2% and most preferably less than 0.1% cannabinol (CBN).
23. (Currently amended) A method as claimed in claim 1 ~~substantially pure preparation of cannabidiol according to claim 18 which is obtained from cannabis plant material using a method comprising the steps of:~~
- i) decarboxylation of the plant material,
  - ii) solvent extraction with liquid CO<sub>2</sub>, to produce a crude botanical drug substance,
  - iii) precipitation with ethanol to reduce the proportion of non-target materials,
  - iv) filtration to remove the precipitate,
  - v) treatment of the resulting solution with activated charcoal,
  - vi) removal of ethanol and water from the solution to produce a CBD-enriched extract,
  - vii) re-dissolving the CBD-enriched extract in pentane, and
  - viii) removal of pentane from the solution of step vii) to obtain substantially pure CBD.

24. (Canceled)

25. (Currently amended) A method as claimed in claim 1, wherein the substantially pure preparation of cannabidiol ~~having~~ has an HPLC profile with a CBD retention time of 5.1-5.8 minutes.